

APPENDIX F

INTERVIEW DOCUMENTATION

- F-1 USACE**
- F-2 East Jefferson Levee District**
- F-3 Jefferson Parish Environmental Department
and Jefferson Parish Drainage Department**
- F-4 Entergy**

APPENDIX F-1

USACE

Street, Rise

From: Gatewood, Richard H MVN [Richard.H.Gatewood@usace.army.mil]
Sent: Monday, September 17, 2007 3:58 PM
To: Venable, Darlene
Subject: RE: Request for USACE Completion of ASTM 1527-05 User Questionnaire

If the PM cannot/does not answer the questions, then treat as an acceptable data gap.

Thanks,

Rick Gatewood
HTRW Coordinator
CEMVN-PM-RP

-----Original Message-----

From: Venable, Darlene [mailto:Darlene.Venable@earthtech.com]
Sent: Monday, September 17, 2007 2:57 PM
To: Gatewood, Richard H MVN
Subject: RE: Request for USACE Completion of ASTM 1527-05 User Questionnaire

Thanks Richard!
I knew this area was special!
Thanks for facilitating the completion of the User Questionnaire.
Darlene

-----Original Message-----

From: Gatewood, Richard H MVN [mailto:Richard.H.Gatewood@usace.army.mil]
Sent: Monday, September 17, 2007 2:52 PM
To: Venable, Darlene
Subject: RE: Request for USACE Completion of ASTM 1527-05 User Questionnaire

Darlene,

Congratulations, your ESA will be the first for that Levee reach!

I will try to get the User Questions to the PM.

Thanks,

Rick Gatewood
HTRW Coordinator
CEMVN-PM-RP

-----Original Message-----

From: Venable, Darlene [mailto:Darlene.Venable@earthtech.com]
Sent: Monday, September 17, 2007 1:46 PM
To: Gatewood, Richard H MVN
Subject: RE: Request for USACE Completion of ASTM 1527-05 User Questionnaire

Richard:
Does the USACE have prior Phase I HTRW ESAs on the Jefferson Lakefront Levee?
If yes, could you or your contractor download those reports to your FTP site to reference as part of Earth Tech's report? Or please email me his phone number or contact info and I'll coordinate our request through him directly, with your approval.

Have you had a chance to complete the questionnaire referenced in the threaded email below?

Thank you in advance for your time.
Darlene

-----Original Message-----

From: Venable, Darlene
Sent: Tuesday, August 28, 2007 12:28 PM
To: 'Gatewood, Richard H MVN'
Cc: Hurley, Bobbie
Subject: Request for USACE Completion of ASTM 1527-05 User Questionnaire

Richard:

Would you or your designated representative complete the attached User Questionnaire for the IER 3 Phase I ESA that ET is currently working on?

As obligated by the ASTM 1527-05 Standard, this will provide the USACE with the opportunity for input by completing the attached User Questionnaire.

I do realize that the environmental lien questions are not part of the USACE's Scope of Work for this specific IER3 HTRW Phase I ESA, and that the USACE has that environmental liens be addressed as a data gap in the final report.

Please feel free to call or email me with any questions or comments.
Thank you.

Darlene Venable
504-810-412

APPENDIX F-2

EAST JEFFERSON LEVEE DISTRICT

Venable, Darlene

From: Mark Fos [fos@ejld.com]
Sent: Thursday, September 27, 2007 3:31 PM
To: Venable, Darlene
Subject: RE: Environmental Questionnaire for Jefferson Lakefront Levee and Pumping Stations and Request for Meeting

ALL THAT I HAVE FOUND IS 7/25/07 WILLIAMS AND GATE L 4, A WING MOWER TRACTOR LEAKED HYDRALIC FLUID. KENNER FIRE WASHED IT AWAY.

MARK

-----Original Message-----

From: Venable, Darlene [mailto:Darlene.Venable@earthtech.com]
Sent: Wednesday, September 19, 2007 3:46 PM
To: fos@ejld.com
Cc: Danny Abadie
Subject: RE: Environmental Questionnaire for Jefferson Lakefront Levee and Pumping Stations and Request for Meeting

Any update on these requests?
Darlene

From: Venable, Darlene
Sent: Tuesday, September 18, 2007 12:05 PM
To: fos@ejld.com
Cc: 'Danny Abadie'
Subject: FW: Environmental Questionnaire for Jefferson Lakefront Levee and Pumping Stations and Request for Meeting

Mark:

Per our telephone discussion earlier.

Attached is the blank questionnaire that Danny completed referencing the incident I am asking for more info on.

I believe the incident occurred near Duncan Pump Station #4. Would your department have any reports or specific quantities on that spill and any other spills that might have occurred on the Jefferson Lakefront Levee shown on the drawing below? If yes, please email them to me or fax the reports to me at the fax number below.

And could you provide a map (plot plan?) showing where on the levee the contractor's truck initially ruptured its fuel tank that resulted in a trail from the levee to where it was stopped by a state trooper? Specifically, which side of which pump station.....on the levee or on the access path to the levee?

Thank you in advance for your time.

Darlene Venable
Program Manager, Environmental Services
Earth Tech
New Orleans, LA

504-810-4121
832-474-6740

FAX 504-962-5362

From: Venable, Darlene
Sent: Tuesday, August 28, 2007 1:15 PM
To: campbell@ejld.com
Cc: blowers@ejld.com
Subject: Environmental Questionnaire for Jefferson Lakefront Levee and Pumping Stations and Request for Meeting

Ms. Campbell:

My name is Darlene Venable and I work for Earth Tech (ET) New Orleans, an Environmental Consultant for the US Army Corps of Engineers (USACE).

As part of the ongoing USACE projects on the Jefferson Lakefront Levee, ET has been contracted to conduct a Phase I Environmental Site Assessment for the 9.5 miles of Jefferson East Bank Levee System and Pumping Stations between the St. Charles Parish Line and the Orleans Parish Line. As part of that assessment, I

Would it be possible to meet with you and/or a knowledgeable designate(s) familiar with and to address the material in the attached questionnaires? Would it be possible to set up a meeting for tomorrow or Thursday of this week? I would be happy to meet at your offices or at the pump stations, if that is more convenient to your personnel.

My USACE Technical Contact is Mr. Richard Gatewood.

Please feel free to contact me by email or by phone at either of the two numbers below.

Thank you in advance for your time.

Darlene Venable
Program Manager, Environmental Services
Earth Tech
New Orleans, LA

504-810-4121
832-474-6740

IER 3 – LPV, Jefferson East Bank

- LPV 16 Floodwall and Gate at Bonnabel Boat Launch
- LPV 17 Bridge Abutment and Floodwall Tie-ins at Causeway Bridge
- LPV 18 Floodwall and Gate at Williams Blvd. Boat Launch
- LPV 00 Reach 1 Lakefront Levee
- LPV 01 Reach 2 Lakefront Levee
- LPV 02 Reach 3 Lakefront Levee
- LPV 19 Reach 4 Lakefront Levee
- LPV 20 Reach 5 Lakefront Levee
- LPV 9 Pumping Station #1 (Bonnabel) Modification, Fronting Protection, Positive Cutoff, and Floodwall Tie-ins
- LPV 10 Pumping Station #2 (Suburban) Modification, Fronting Protection, Positive Cutoff, and Floodwall Tie-ins
- LPV 11 Pumping Station #3 (Elmwood) Modification, Fronting Protection, Positive Cutoff, and Floodwall Tie-ins
- LPV 12 Pumping Station #4 (Duncan) Modification, Fronting Protection, Positive Cutoff, and Floodwall Tie-ins




Figure 1

From: Venable, Darlene
Sent: Tuesday, September 18, 2007 12:05 PM
To: 'fos@ejld.com'
Cc: 'Danny Abadie'
Subject: FW: Environmental Questionnaire for Jefferson Lakefront Levee and Pumping Stations and Request for Meeting
Attachments: ASTM E1527-05 Government Personnel Interview Form V2.doc; ASTM E1527-05 Owners & Occupant Interview Form.doc

Mark:

Per our telephone discussion earlier.

Attached is the blank questionnaire that Danny completed referencing the incident I am asking for more info on. I believe the incident occurred near Duncan Pump Station #4. Would your department have any reports or specific quantities on that spill and any other spills that might have occurred on the Jefferson Lakefront Levee shown on the drawing below? If yes, please email them to me or fax the reports to me at the fax number below.

And could you provide a map (plot plan?) showing where on the levee the contractor's truck initially ruptured its fuel tank that resulted in a trail from the levee to where it was stopped by a state trooper? Specifically, which side of which pump station.....on the levee or on the access path to the levee?

Thank you in advance for your time.

Darlene Venable
Program Manager, Environmental Services
Earth Tech
New Orleans, LA

504-810-4121
832-474-6740

FAX 504-962-5362

From: Venable, Darlene
Sent: Tuesday, August 28, 2007 1:15 PM
To: campbell@ejld.com
Cc: blowers@ejld.com
Subject: Environmental Questionnaire for Jefferson Lakefront Levee and Pumping Stations and Request for Meeting

Ms. Campbell:

My name is Darlene Venable and I work for Earth Tech (ET) New Orleans, an Environmental Consultant for the US Army Corps of Engineers (USACE).

As part of the ongoing USACE projects on the Jefferson Lakefront Levee, ET has been contracted to conduct a Phase I Environmental Site Assessment for the 9.5 miles of Jefferson East Bank Levee System and Pumping Stations between the St. Charles Parish Line and the Orleans Parish Line. As part of that assessment, I

Would it be possible to meet with you and/or a knowledgeable designate(s) familiar with and to address the material in the attached questionnaires? Would it be possible to set up a meeting for tomorrow or Thursday of this week? I would be happy to meet at your offices or at the pump stations, if that is more convenient to your personnel.

9/21/2007

My USACE Technical Contact is Mr. Richard Gatewood.

Please feel free to contact me by email or by phone at either of the two numbers below.

Thank you in advance for your time.

Darlene Venable
Program Manager, Environmental Services
Earth Tech
New Orleans, LA

504-810-4121
832-474-6740

Maintenance Department

1135 Lesan Drive - Kenner, Louisiana - 70052 - Phone: 469-7522 - Fax: 469-7512



FAX COVER SHEET

DATE: 9-04-07

NO. OF PAGES (INCLUDING COVER SHEET) 7

TO: D. Venable

FROM: D. Venable

COMMENTS:

PLEASE CONTACT CAROL PURCELLO AT (504-469-7522) IF YOU HAVE ANY PROBLEMS WITH THIS FAX.

CONFIDENTIALITY NOTICE

The documents accompanying this facsimile transmission may contain confidential information which is legally privileged. The information is intended only for the use of the individual or entity named above. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or the taking of any action in reliance of the contents of this information is strictly prohibited. If you have received this information in error, please immediately notify us by telephone to arrange for the return of the documents.

Property: East Jefferson Levee District from St Charles Parish Line to 17th Canal

Name & Title of Person Interviewed: Daniel B. Alvarez Jr + Levee Maintenance Sup

Interview Date: 8-30-07 in person by telephone in writing (attach questionnaire)

Ask the interviewee to be as specific as possible, and to answer in good faith and to the extent of their knowledge.

NOTE: Residential occupants do not need to be interviewed. If the property has fewer than five current occupants, a reasonable attempt must be made to interview a representative of each. If there are more than five, a reasonable attempt must be made to interview all major occupants and those others whose operations are likely to indicate an environmental concern. Many interviewees have no obligation to answer questions. If an answer is incomplete, or a question not answered, note this on the form. The user has an obligation to answer.

How is the person interviewed related to the property?

Current Owner (since _____)

Former Owner (from _____ to _____)

Key Site Manager, Title: Levee Maintenance Sup

Occupant/Tenant: Name of Entity: _____

Period of occupancy: _____

A. Basic Information - All Interviewees

1.0 What current and past activities/uses has your occupancy involved?

Maintaining and monitoring levee systems

2.0 What hazardous substances (HS) or petroleum products (PP) has your organization used (may include fuels, paints and solvents, hydraulic fluid, pesticides, cleaning chemicals, etc.), and how were wastes and empty containers disposed?

Fuel for tractors and equipment and vehicles that help maintain the system. Hydraulic fluid also used in equipment

3.0 Do you know of, or have records of any fire, accident, spill, or other release of a HS or PP on, from, or near the property?

Diesel spill by Duncanson Pump Station, Jefferson Parish. Lead agency in clean up. Hydraulic oil spill on Williams Blvd. Kenner Fire Dept called and cleaned up

Property: East Jefferson Levee District, from St Charles Parish line to 17th St Canal
Address: _____

Date of Interview: 8-30-07 Type of Interview: in person by telephone

Name and Title of Person Interviewed: Daniel S. Alvarado, Levee Maintenance Supt.

Governmental Affiliation: Fire Department Health Department Environmental Agency
 Other State Agency

Interviewer Name and Title: _____

Ask interviewee to be as specific as possible, and to answer in good faith and to the extent of their knowledge.

1.0 Do you know of, or have records of any fires, accidents, spills, or other releases of Hazardous Substances (HS) or Petroleum Products (PP) on, from, or near the Property?
① Diesel spill by Durcan pumping station, clean up handled by parish, ② Williams Blvd. Hydraulic spill from tractor, Harver Fire Dept. assisted in clean up.

2.0 Do you know or have records of any pending, threatened, or past administrative proceeding, notice of violation, or litigation relevant to HS or PP that involves the Property?
No

3.0 Are you aware of any known or potential health or environmental hazard/condition at the Property, or on a nearby parcel?
No

4.0 Has your agency conducted any inspections at this Property? The E.J. Levee District has
If yes, can you describe when, and what were the findings?
daily inspections with police and maintenance involvement, also, quarterly inspections done by levee supt, DOTD and Army Corps of Engineers inspectors

Phase I ESA - Owners and Occupants Interview Form

4.0 Are you aware of any pending, threatened, or past notice of violation, litigation, or administrative proceeding relevant to hazardous substances or petroleum products in, on or from the property?

No

5.0 To the best of your knowledge, what are the current and past uses of adjacent parcels?

Residential areas

6.0 Do you know of any potential environmental hazard/condition on the property, or on a nearby parcel?

No

7.0 Who are other current or past owners or occupants?

N/A

8.0 What is the source of your drinking water?

N/A

For a tenant, the interview can be ended at this point.

Phase I ESA - Owners and Occupants Interview Form

B. Detailed Information - Owner, Key site Manager, or ESA User

1.0 Documents: If the interviewee is the *property owner, key site manager, or user*, they must be asked if the following documents exist, and, if so, whether copies can and will be provided to the *environmental professional* within reasonable time and cost constraints:

	<u>Exists</u>	<u>To Be Provided</u>
Environmental Site Assessment Reports	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
Environmental Audit Reports	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
Environmental Permits	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
a. Solid waste disposal	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
b. Hazardous waste disposal	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
c. Wastewater	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
d. NPDES	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
e. Air	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
Storage Tanks	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
a. Registrations for Underground Storage Tanks	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
b. Registrations for Aboveground Storage Tanks	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
Material Safety Data Sheets	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
Community Right-to-Know Documents	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
Safety Plans	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
a. Preparedness and Prevention	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
b. Spill Prevention, Countermeasures and Control	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
c. Storm Water Pollution Prevention	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
d. Waste Minimization/Pollution Prevention	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
e. Process Safety Management	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
f. Chemical Hygiene (occupational exposures to hazardous chemicals in laboratories)	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
g. Hazard Communication Standard (HCS)	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
h. Occupational Exposure to Bloodborne Pathogens	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
Reports regarding hydrogeologic conditions on the <i>property</i> or in the surrounding area.	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
Notices from any government agency relating to past or current violations of environmental laws with respect to the <i>property</i> or relating to environmental liens encumbering the <i>property</i> .	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
Hazardous waste generator notices or reports.	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>
Geotechnical studies.	Yes <u> </u> No <u> </u> <input checked="" type="checkbox"/>	Yes <u> </u> No <u> </u>

2.0. What *hazardous substances or petroleum products* are or in the past were used, treated, stored, or disposed of, on the *property*?

<u>PRESENT*</u>			
<u>Chemical</u>	<u>Amount</u>	<u>Container Type</u>	<u>Storage Conditions</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Phase I ESA - Owners and Occupants Interview Form

<u>PAST*</u> <u>Chemical</u>	<u>Amount</u>	<u>Container Type</u>	<u>Storage Conditions</u>

* Attach sheet if additional space is needed

3.0 What is the sewage disposal system for the *property*? Describe any septic system or cesspool.
N/A

4.0 Describe any aboveground or underground storage tanks, or vent pipes, fill pipes, or access ways?
N/A

5.0 Have you ever noticed any strong, pungent, or noxious odors on or near the *property*?
No

6.0 Have you ever noticed standing surface water, or pools or sumps, containing liquids likely to be *hazardous substances* or *petroleum products*?
No

7.0 Have you ever seen drums or other containers of oils or chemicals on the *property* (other than yours)? If yes, to the best of your knowledge what was in them, and were there any leaks or spills?
Yes. After Hurricane Katrina, 2 large storage tanks washed ashore. They were empty and were picked up by owner. No leaks or spills.

8.0 Are you aware of any electrical or hydraulic equipment known, or likely to, contain PCBs?
No

Phase I ESA - Owners and Occupants Interview Form

9.0 What is the means of heating and cooling the buildings (include all fuel sources)?
N/A

10.0 Have you ever noticed any stains or corrosion on floors, walls, or ceilings?
N/A

11.0 Are you aware of any floor drains or sumps? If yes, where and what is nearby?
No

12.0 Are there any pits, ponds, or lagoons on the property? If yes, what were/are they used for?
By pump station #2, a pond that is natural creation filled by high tides

13.0 Have you ever noticed stained soil or pavement?
No

14.0 Have you ever noticed areas of stressed vegetation (except due to weather or lack of water)?
No

15.0 Are you aware of any buried trash or other waste (areas that are apparently filled or graded by non-natural causes, or filled by fill of unknown origin, or mounds or depressions suggesting disposal)?
No

Phase I ESA - Owners and Occupants Interview Form

16.0 Is waste water (including storm water) or any other liquid discharged into a drain, ditch or stream on or adjacent to the property?

There is a Water retention berm along almost the entire lake front system. Water is then drained off system through drainage piping system.

17.0 Are there any water wells or monitoring wells on the property? Yes If yes, please describe.

There are 4 water monitoring wells on Reach I. These are for Geo Tech purposes and are monitored by the ACDE.

APPENDIX F-3

**JEFFERSON PARISH ENVIRONMENTAL DEPARTMENT
AND JEFFERSON PARISH DRAINAGE DEPARTMENT**

**– PHASE I ESA OWNERS AND OCCUPANTS
INTERVIEW FORM**

**– FOLLOW-UP E-MAIL REQUESTS FOR
JEFFERSON PARISH ENVIRONMENTAL
RECORDS RELATING TO USTs AND SPILLS**

Phase I ESA – Owners and Occupants Interview Form

Property: DUNCAN PUMPING STATION #4, ELMWOOD P.S.#3, BONABEL P.S.#1, SUBURBAN P.S.#2
Built 1986 Built 1981, Mod 2005 Built 1981 Built 1985 Mod 2005

Name & Title of Person Interviewed: JEFFERSON PARISH DRAINAGE DEPARTMENT (JPDD)
ALI PIRBALEHY, P.E. MANNY ASPURIA, EAST BANK Supt. III
MATHY RUSSO, JEFFERSON PARISH ENVIRONMENTAL DEPARTMENT

Interview Date: 090407 in person by telephone in writing (attach questionnaire)

INTERVIEWER: H. DARLING VENABLE, PROGRAM MGR. EARTHTECH (CONTRACTOR TO USACE)
 Ask the interviewee to be as specific as possible, and to answer in good faith and to the extent of their knowledge.

NOTE: Residential occupants do not need to be interviewed. If the property has fewer than five current occupants, a reasonable attempt must be made to interview a representative of each. If there are more than five, a reasonable attempt must be made to interview all major occupants and those others whose operations are likely to indicate an environmental concern. Many interviewees have no obligation to answer questions. If an answer is incomplete, or a question not answered, note this on the form. The user has an obligation to answer.

How is the person interviewed related to the property?

Current Owner (since _____)

Former Owner (from _____ to _____)

Key Site Manager, Title: JEFFERSON PARISH DRAINAGE DISTRICT P.E. + EAST BANK Supt. for P.S.#1's

Occupant/Tenant: Name of Entity: _____ 1, 2, 3, 4

Period of occupancy: _____

A. Basic Information – All Interviewees

1.0 What current and past activities/uses has your occupancy involved?

ALL 4 PUMPING STATIONS (DUNCAN #4, ELMWOOD #3, BONABEL #1 + SUBURBAN #2) WERE CONSTRUCTED TO FACILITATE STORMWATER DRAINAGE FROM THE EAST BANK OF JEFFERSON PARISH TO LAKE POATCHARTRAIN. THE OLD PUMPING STATIONS WERE ORIGINALLY LOCATED IN FRONT OF THE EXISTING PUMPING STATIONS + WERE ALL DEMOLISHED AFTER THE NEW P.S. CAME ONLINE, EXCEPT OLD DUNCAN P.S.#4.

2.0 What hazardous substances (HS) or petroleum products (PP) has your organization used (may include fuels, paints and solvents, hydraulic fluid, pesticides, cleaning chemicals, etc.), and how were wastes and empty containers disposed?

SEE MWH SPCC AND SWPP Plans FOR DETAIL AND SITE DRAWINGS. THE JEFFERSON PARISH DRAINAGE DEPARTMENT IS IN THE PROCESS OF UPDATING THESE PLANS TO INCLUDE THE ASTs ASSOCIATED WITH THE OPERATION OF THE POST-KATRINA PUMP-HOUSES AT EACH OF THE 4 PUMPING STATIONS.

3.0 Do you know of, or have records of any fire, accident, spill, or other release of a HS or PP on, from, or near the property? NO RECORDS AVAILABLE.

- ① DUNCAN #4 P.S. CONTRACTOR SPILL OF DIESEL FROM RUPTURED FUEL TANK - DRIPPED FROM LEVEE TO ST.
- ② SUBURBAN #5.#2 - SHEEN IN CANAL ORIGINATING FROM A FORLETT CONTRACTOR WORKING ON THE BANK OF THE SUBURBAN CANAL.

Phase I ESA – Owners and Occupants Interview Form

4.0 Are you aware of any pending, threatened, or past notice of violation, litigation, or administrative proceeding relevant to hazardous substances or petroleum products in, on or from the property?

No

5.0 To the best of your knowledge, what are the current and past uses of adjacent parcels?

N=North, S=South, E=East, W=West, P.S.=Pumping Stations. F=Formerly C=Current
 S= Canal/Residential N= Lake Fontchartrain
 For all 4 P.S.

DUNCAN #4 P.S. - W= Gabriel Properties, formerly Jefferson Downs, E= wooded formerly Assisted Living Facility (C)
 ELMWOOD #3 P.S. - E+W= Wooded (F), Residential (C)
 BONNABEL #1 P.S. - E= Horse Stable, W= Residential (C)
 SUBURBAN #2 P.S. - E; W= Residential (C) + Wooded (F)

6.0 Do you know of any potential environmental hazard/condition on the property, or on a nearby parcel?

SEE MWH SPCC AND SWPP PLANS

7.0 Who are other current or past owners or occupants?

OLD PUMP STATION CONSTRUCTION HISTORY IS UNKNOWN,
 ALTHOUGH ALL THREE (ELMWOOD PS #3, BONNABEL PS #1, & SUBURBAN P.S. #2) WERE FORMERLY LOCATED IN FRONT OF EXISTING P.S.
 OLD DUNCAN P.S. #4 IS LOCATED TO WEST OF CURRENT P.S. #4.

8.0 What is the source of your drinking water?

EAST BANK — JEFFERSON HIGHWAY WATER PLANT
 BACKUP — POTABLE WATER WELLS AT EACH OF 4 P.S. (#1, #2, #3, #4)

For a tenant, the interview can be ended at this point.

Phase I ESA – Owners and Occupants Interview Form

B. Detailed Information – Owner, Key site Manager, or ESA User

Note: No JPDD records available due to water damage from Hurricane KATRINA.

1.0 Documents: If the interviewee is the *property owner, key site manager, or user*, they must be asked if the following documents exist, and, if so, whether copies can and will be provided to the *environmental professional* within reasonable time and cost constraints: **LISACE BECA PROJ ASSESSMENTS MIGHT EXIST FOR JEFFERSON PARISH DEPARTMENTS*

	<u>Exists</u>	<u>To Be Provided</u>
1. Environmental Site Assessment Reports *	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/>
2. Environmental Audit Reports (<i>MAINLY HR/SAFETY RELATED</i>)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
3. Environmental Permits	Yes <input type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
a. Solid waste disposal (<i>JEFFERSON PARISH LANDFILL</i>)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
b. Hazardous waste disposal (<i>POWER BOND RECYCLING</i>)	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
c. Wastewater (<i>MUNICIPAL OR PARISH FOR SEPTIC</i>)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
d. NPDES	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
e. Air	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
4. Storage Tanks	Yes <input type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
a. Registrations for Underground Storage Tanks	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
b. Registrations for Aboveground Storage Tanks	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
5. Material Safety Data Sheets	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
6. Community Right-to-Know Documents (<i>FIRE DEPARTMENT</i>)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
7. Safety Plans	Yes <input type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/>
a. Preparedness and Prevention	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
b. Spill Prevention; Countermeasures and Control (<i>MWH RPTS</i>)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
c. Storm Water Pollution Prevention (<i>MWH RPTS</i>)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
d. Waste Minimization/Pollution Prevention	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
e. Process Safety Management (<i>ONLY OPERATION PROCEDURES</i>)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
f. Chemical Hygiene (occupational exposures to hazardous chemicals in laboratories)	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
g. Hazard Communication Standard (HCS)	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
h. Occupational Exposure to Bloodborne Pathogens	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
8. Reports regarding hydrogeologic conditions on the property or in the surrounding area. (<i>CWATER Well driller's logs</i>)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
9. Notices from any government agency relating to past or current violations of environmental laws with respect to the property or relating to environmental liens encumbering the property. (<i>JUST WHAT IS IN SUBURBAN + OLD DUNCAN P.S. LOGG FILES</i>)	Yes <input type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
10. Hazardous waste generator notices or reports.	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
11. Geotechnical studies. (<i>FOR P.S. AND SAFETHOUSES (EUSTIS ENGINEERING)</i>)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>

2.0. What *hazardous substances* or *petroleum products* are or in the past were used, treated, stored, or disposed of, on the property?

PRESENT*

<u>Chemical</u>	<u>Amount</u>	<u>Container Type</u>	<u>Storage Conditions</u>
-----------------	---------------	-----------------------	---------------------------

PAST - NO HISTORY AVAILABLE

CURRENT - SEE SPCC + SWPP PLANS (MWH)

Phase I ESA – Owners and Occupants Interview Form

PAST*

<u>Chemical</u>	<u>Amount</u>	<u>Container Type</u>	<u>Storage Conditions</u>

* Attach sheet if additional space is needed

3.0 What is the sewage disposal system for the property? Describe any septic system or cesspool.
CITY OF MONROE MUNICIPAL POTW (DUNBAR P.S.#4) + JEFFERSON PARISH POTW
FOR METAIRIE (ALL OTHER P.S.# 1, #2, #3)

4.0 Describe any aboveground or underground storage tanks, or vent pipes, fill pipes, or access ways?
NO CURRENT USTs AT ANY OF 4 PUMPING STATIONS (#1, #2, #3, #4)
ASTs - SEE MWH SPCC AND SWPP PLANS.

5.0 Have you ever noticed any strong, pungent, or noxious odors on or near the property?
SAWWOOD DECAY IN SUMMER MONTHS.

6.0 Have you ever noticed standing surface water, or pools or sumps, containing liquids likely to be hazardous substances or petroleum products?
OTHER THAN OCCASSIONAL SHEEN ON CANAL FROM OUTSIDE SOURCES - NO.
INTERNAL SPILLS ARE DESIGNED TO BE FLOW THROUGH INTERNAL PIPING TO BASEMENT PUMP USED OIL TANK AND/OR BASEMENT ITSELF. WALLS AND FLOORS OF BASEMENT ARE 2.5' THICK CONCRETE.

7.0 Have you ever seen drums or other containers of oils or chemicals on the property (other than yours)? If yes, to the best of your knowledge what was in them, and were there any leaks or spills?
OUTSIDE OF PROPERTY - NO
INSIDE PUMPING STATION LIMITS - SEE SPCC + SWPP PLANS.

8.0 Are you aware of any electrical or hydraulic equipment known, or likely to, contain PCBs?
No

Phase I ESA – Owners and Occupants Interview Form

9.0 What is the means of heating and cooling the buildings (include all fuel sources)?

AC - ELECTRIC NO FUEL SOURCES
SPACE HEATER - ELECTRIC NO FUEL SOURCES

10.0 Have you ever noticed any stains or corrosion on floors, walls, or ceilings?

DRIPS AND LEAKS OF HYDRAULIC OILS, DIESEL ETC FROM PUMPS AND AUXILIARY EQUIPMENT, ALL OF WHICH ARE MITIGATED WITH ABSORBENT PADS, ABSORBENT MEDIA + DRIP PANS + SECONDARY CONTAINMENT, AS PER SPC PLAN + SWPP PLANS.

11.0 Are you aware of any floor drains or sumps? If yes, where and what is nearby?

ALL 4 PUMP STATIONS HAVE FLOOR DRAINS WHICH CONNECT TO THE BASEMENT/SUMP. OIL IS RECOVERED AND SENT TO NATIONAL OIL FOR RECYCLING.

12.0 Are there any pits, ponds, or lagoons on the property? If yes, what were/are they used for?

No.
ALL 4 PUMPING STATIONS STRADDLE A DRAINAGE CANAL.

13.0 Have you ever noticed stained soil or pavement?

STAINED STREET/ SOIL ASSOCIATED WITH CONTRACTOR DIESEL DRIP (FROM RUPTURED FUEL TANK) - FROM LEVEL TO STREET ALONG SIDE OF DUNCAN PUMP STATION #4.

14.0 Have you ever noticed areas of stressed vegetation (except due to weather or lack of water)?

WEED KILLER ON BANKS OF CANAL.

15.0 Are you aware of any buried trash or other waste (areas that are apparently filled or graded by non-natural causes, or filled by fill of unknown origin, or mounds or depressions suggesting disposal)?

No
DEMOLITION/HURRICANE DEBRIS WAS TRANSPORTED OFFSITE TO AN APPROPRIATE DISPOSAL FACILITY

Phase I ESA – Owners and Occupants Interview Form

16.0 Is waste water (including storm water) or any other liquid discharged into a drain, ditch or stream on or adjacent to the property? All P.S. #1, #2, #3 #4 - Jefferson Lake front
Levee

WASTEWATER (NPDES) - NO

STORMWATER (SWPP PLAN) - YES

PUMP COOLING WATER - YES to CANAL, thence to LAKE, if
1 (ww) NO STORED OBSERVED.

17.0 Are there any water wells or monitoring wells on the property? YES If yes, please describe.

<u>DUNCAN P.S. #4 - 1 ww</u>	} APPROXIMATELY 700' DEEP COMPLETED IN KENNICKER AQUIFER 125 gal/minute
<u>ELMWOOD P.S. #3 - 1 ww</u>	
<u>SUBURBAN P.S. #2 - 1 ww</u>	
<u>BONNAVILLE P.S. #1 - 1 ww</u>	

Venable, Darlene

From: KRusso [KRusso@jeffparish.net]
Sent: Monday, September 17, 2007 12:58 PM
To: Venable, Darlene
Subject: RE: Follow-up Record Requests.....RE: Environmental Questionnaire for Pumping Stations and Request for Meeting (RE: USACE Jefferson Lakefront Projects)

I can't find any records.

From: Venable, Darlene [mailto:Darlene.Venable@earthtech.com]
Sent: Monday, September 17, 2007 12:24 PM
To: KRusso
Subject: RE: Follow-up Record Requests.....RE: Environmental Questionnaire for Pumping Stations and Request for Meeting (RE: USACE Jefferson Lakefront Projects)

Kathy:
Any luck locating the spill reports or any other environmental incident/testing records for any of the 4 Jefferson Parish Lakefront Levee Pump Stations?

Thanks.
Darlene

From: KRusso [mailto:KRusso@jeffparish.net]
Sent: Monday, September 10, 2007 12:46 PM
To: Venable, Darlene
Subject: RE: Follow-up Record Requests.....RE: Environmental Questionnaire for Pumping Stations and Request for Meeting (RE: USACE Jefferson Lakefront Projects)

I have no records of the USTs. My UST records don't go back that far. I am looking for spill reports.

From: Venable, Darlene [mailto:Darlene.Venable@earthtech.com]
Sent: Monday, September 10, 2007 12:28 PM
To: KRusso
Subject: RE: Follow-up Record Requests.....RE: Environmental Questionnaire for Pumping Stations and Request for Meeting (RE: USACE Jefferson Lakefront Projects)

Kathy:
I know you are really busy, but would you have any ETA on the records search? I have a Draft report going into the soon and would like to address any and all affected Jefferson Lakefront Levee pump stations that I can.

Let me know if there is anything I can do (get the records copied, etc.).

Thanks again for your time.
Darlene
832-474-6740

From: Venable, Darlene
Sent: Wednesday, September 05, 2007 6:41 PM

9/17/2007

To: Krusso@jeffparish.net
Cc: 'mwinter@jeffparish.net'
Subject: Follow-up Record Requests.....RE: Environmental Questionnaire for Pumping Stations and Request for Meeting (RE: USACE Jefferson Lakefront Projects)

Kathy:

Thank you for taking time out to complete the questionnaire with me this afternoon and for the SPCC/SWPP CD. The information will help a great deal.

I spoke to my DEQ records reviewer and based on that conversation, I was hoping you might be able to help me locate any parish environmental records relating to the following:

- USTs on or removed from Suburban Pump Station: (an EDR database search identified Suburban Pump station as having a registered UST and a historical UST), including any soil or groundwater testing reports relating to USTs or spills or releases that have occurred on the Suburban Pump Station property. Conversations with Manny suggested the existence of a former vertical fuel containing AST, but not USTs.
- USTs on and/or removed from the old Duncan Pump Station #4), including any soil or groundwater testing reports relating to USTs or spills or releases that have occurred on the Duncan Pump Station property. Manny stated that two USTs were removed from the west side of the old Duncan Pump Station, in the presence of DEQ personnel (approximately the mid 1980's). The Duncan Pump Station facility did not appear on the EDR database search of historical USTs or LUSTs.
- Any other parish environmental records (spills, soil or groundwater releases of hydrocarbons or other chemicals, clean-up activities, etc.) available on the Bonnabel and Elmwood Pump Stations.

Thanks again for your time and assistance.

Darlene Venable
Program Manager, Environmental Services
Earth Tech www.earthtech.com
New Orleans, LA

darlene.venable@earthtech.com
O 504-810-4121
C 832-474-6740

From: Venable, Darlene
Sent: Tuesday, September 04, 2007 5:44 PM
To: mwinter@jeffparish.net
Subject: FW: Environmental Questionnaire for Pumping Stations and Request for Meeting (RE: USACE Jefferson Lakefront Projects)

Marnie:

As we discussed earlier today, these are the questionnaires that were reviewed with Ali and Manny today. During that meeting, they suggested I contact you to provide additional information.

Could we meet tomorrow afternoon to complete the questionnaires (after the scheduled am tour of the pump stations with Manny)?

9/17/2007

Thank you in advance for your time.

Darlene Venable
Program Manager, Environmental Services
Earth Tech www.earthtech.com
New Orleans, LA

darlene.venable@earthtech.com
O 504-810-4121
C 832-474-6740

From: Venable, Darlene
Sent: Wednesday, August 29, 2007 5:11 PM
To: kalikhani@jeffparish.net
Subject: Environmental Questionnaire for Pumping Stations and Request for Meeting (RE: USACE Jefferson Lakefront Projects)

Mr. Kazem Alikhani
Director
Jefferson Parish Drainage Department
504-736-6751

Mr. Alikhani:

My name is Darlene Venable and I work for Earth Tech (ET) New Orleans, an Environmental Consultant for the US Army Corps of Engineers (USACE).

As part of the ongoing USACE projects on the Jefferson Lakefront Levee, ET has been contracted to conduct a Phase I Environmental Site Assessment for the 9.5 miles of Jefferson East Bank Levee System and Pumping Stations between the St. Charles Parish Line and the Orleans Parish Line. I understand that your department oversees the pumping stations within our study area.

Would it be possible to meet with you and/or a knowledgeable designate(s) familiar with and to address the material in the attached questionnaires? Would it also be possible to set up a meeting for tomorrow or Friday of this week? I would be happy to meet at your offices and at the pump stations, if that is more convenient to your personnel.

My USACE Technical Contact is Mr. Richard Gatewood.

Please feel free to contact me by email or by phone at either of the two numbers below.

Thank you in advance for your time.

Darlene Venable
Program Manager, Environmental Services
Earth Tech www.earthtech.com
New Orleans, LA

9/17/2007

darlene.venable@earthtech.com

O 504-810-4121

C 832-474-6740

This e-mail is intended to be delivered only to the named addressee(s) and may contain information that is confidential and proprietary. If this information is received by anyone other than the named addressee(s), the recipient(s) should immediately notify the sender by e-mail and promptly delete the transmitted material from your computer and server. In no event shall this material be read, used, stored, or retained by anyone other than the named addressee(s) without the express written consent of the sender or the named addressee(s).

9/17/2007

APPENDIX F-4

ENERGY

From: BEARD, JAMES H [beardj@entergy.com]
Sent: Thursday, August 30, 2007 11:08 AM
To: Venable, Darlene
Subject: RE: Request for information on Transformers/Capacitors in Jefferson Parish, LA
Attachments: Earth Tech, Darlene Venable, 8-30-2007.doc

Darlene

As per our conversation yesterday. Attached is what Entergy's legal department will allow me to send out to PCB information request. Entergy's equipment database contains all of our equipment but to search, I need account number, meter number, pole number, unit number to call up the exact equipment. If the physical address is also the billing address, I can search by address or telephone. One more thing, even if I locate the unit in Entergy's database, appropriately 80 % of our distribution equipment is untested for PCBs. There are no federal or state regulations that demand that untested equipment "in service" must be tested for PCBs.

Basically, Entergy's equipment is our responsibly and Entergy will replace, repair, cleanup any oil leaks from said equipment. Entergy does not want any other entity to manage, disconnect, cleanup oil spills of any of its electrical equipment.

Send me your fax number if you need a signed copy of the attached letter.

Call me anytime.

Hal

James Hal Beard
Senior Environmental Analyst
Environmental Management
Work Phone 501-377-4036
Internal 8-750-4036
Cell 501-258-6519
"Your Safety Gears Are Between Your Ears"

-----Original Message-----

From: Venable, Darlene [mailto:Darlene.Venable@earthtech.com]
Sent: Wednesday, August 29, 2007 12:45 PM
To: BEARD, JAMES H
Cc: HAYDEN, ROBERT M
Subject: Request for information on Transformers/Capacitors in Jefferson Parish, LA

Gentlemen:

My name is Darlene Venable and I work for Earth Tech (ET) New Orleans, an Environmental Consultant for the US Army Corps of Engineers (USACE). My company worked on a similar project in Orleans Parish in December 2006 - March 2007.

As part of the ongoing USACE projects along the Jefferson Lakefront Levee, ET has been contracted to conduct a Phase I Environmental Site Assessment for the 9.5 miles of Jefferson East Bank Levee System between the St. Charles Parish Line and the Orleans Parish Line.

The ASTM Standard that we are using to conduct the Phase I Environmental Site Assessment requires that we observe and make inquiries as to the presence/location of transformers/capacitors (or any other electrical equipment with pcb

9/21/2007

fluids) within the limits and adjacent to the study area containing pcb fluids.

To that end, I have attached a map showing the starting and ending lat and longs of the study area. Generally, that study area extends 1000 feet on either side of the centerline of the levee system that parallels the south shore of Lake Pontchartrain in Jefferson Parish, Louisiana.

Can Entergy send ET a list of electrical equipment by serial number and a map showing the locations (with lat and longs.. or a GIS layer) of the electrical equipment present in the study area (identifying those pieces of electrical equipment that contain pcb fluids)? If that is possible, would Entergy be able to provide me with an ETA on this information?

Please feel free to contact me by email or by phone at either of the two numbers below.

Thank you in advance for your time. I really appreciate your help.

Darlene Venable
Program Manager, Environmental Services
Earth Tech
New Orleans, LA

504-810-4121
832-474-6740

This e-mail is intended to be delivered only to the named addressee(s) and may contain information that is confidential and proprietary. If this information is received by anyone other than the named addressee(s), the recipient(s) should immediately notify the sender by e-mail and promptly delete the transmitted material from your computer and server. In no event shall this material be read, used, stored, or retained by anyone other than the named addressee(s) without the express written consent of the sender or the named addressee(s).



Entergy

Environmental Management

P.O. Box 551
Little Rock, AR 72203

August 30, 2007

Attn: Darlene Venable
Environmental Services
Earth Tech
New Orleans, LA

Darlene

We have received your inquiry of August 29, 2007 regarding the transformers located along a 9.5 miles of Jefferson East Bank Levee System between the St. Charles Parish Line and the Orleans Parish Line, New Orleans, Louisiana. The transformers in question have not been tested for PCB's. Entergy's O & M plan for pole mount and pad mount transformers is that as equipment fails or leaks oil, the unit is replaced or repaired.

The transformers in question are owned and operated by Entergy Corporation in compliance with all Federal and State regulatory guidelines, including those promulgated by the United States Environmental Protection Agency in Part 761 of Title 40, Toxic Substances Control Act. In the event of a spill from said transformers, Entergy Corporation will take the appropriate action.

- Obtaining the Entergy Company number off the side of the transformer or the Entergy location number (on an aluminum strip about five feet from the ground on the pole) would expedite verification of ownership of said equipment. Entergy's database can also search by telephone number, meter number or account number.

If I can be of further assistance, please call me at 501-377-4036. Please fax future PCB information requests to 501-377-4041. Unless requested, a hard copy will not be mailed.

James Hal Beard
Senior Environmental Analyst
Environmental Management
beardj@entergy.com



Environmental Management

P.O. Box 551
Little Rock, AR 72205

September 13, 2007

Attn: Darlene Venable
Environmental Services
Earth Tech
New Orleans, LA

Darlene

We have received your inquiry of September 10, 2007 regarding the transformers located along a 9.5 miles of Jefferson East Bank Levee System between the St. Charles Parish Line and the Orleans Parish Line, New Orleans, Louisiana. The transformers in question have not been tested for PCB's. Entergy's O & M plan for pole mount and pad mount transformers is that as equipment fails or leaks oil, the unit is replaced or repaired.

The transformers in question are owned and operated by Entergy Corporation in compliance with all Federal and State regulatory guidelines, including those promulgated by the United States Environmental Protection Agency in Part 761 of Title 40, Toxic Substances Control Act. In the event of a spill from said transformers, Entergy Corporation will take the appropriate action.

Transformer #	Latitude	Longitude	Street Name	Date/Time	PCB Content
124279	N 30-02'47.2"	W 090-15'37.6"	Echezeaux Dr.	9/5/07, 0945	Untested
569851	N 30-02'12.1"	W 090-14'36.1"	Joe Yenni Blvd.	9/5/07, 1200	< 50 PPM
569848	N 30-02'12.1"	W 090-14'36.1"	Joe Yenni Blvd.	9/5/07, 1200	< 50 PPM
9-1669	N 30-02'07.9"	W 090-13'55.9"	David Dr.	9/5/07, 1400	Untested
15725	N 30-01'52.8"	W 090-12'58.2"	Purdue Dr.	9/5/07, 1530	Untested
47691	N 30-01'30.9"	W 090-12'05.5"	Alphonse Dr.	9/5/07, 1610	Untested
119436	N 30-01'21.2"	W 090-11'27.3"	Alphonse Dr.	9/5/07, 1630	Untested
117862	N 30-01'23.0"	W 090-11'26.0"	Steele St.	9/5/07, 1835	Untested
111154	N 30-01'11.6"	W 090-10'29.4"	Mouton St.	9/6/07, 0800	Untested
124813	N 30-01'09.2"	W 090-10'13.8"	Southshore Dr.	9/6/07, 0833	Untested
680699	N 30-01'01.4"	W 090-09'13.8"	7th St.	9/6/07, 1215	< 50 PPM
167698	N 30-01'04.8"	W 090-09'40.7"	Edenborne Ave.	9/6/07, 0920	Untested
136755	N 30-01'06.4"	W 090-09'27.5"	N Hulen St.	9/6/07, 0950	Untested
284879	N 30-01'04.0"	W 090-07'49.8"	Sigur Ave.	9/6/07, 1420	Untested
99808	N 30-01'10.2"	W 090-07'38.8"	Chickesaw	9/6/07, 1446	Untested
1181050	N 30-01'11.4"	W 090-07'10.5"	Hammond Hwy.	9/6/07, 1645	< 50 PPM
Jefferson Parish Suburban #2 Pump Station					
677901 SN H14155134399				4800 Lake Villa, Metairie, LA	< 50 PPM

Acct Numbers	Facility	Transformer #	Address	PCB Content
59344929	Jefferson Parish Pump Station No 1 Bonabel	BY-140322	1500 Beverly Gardens, Metairie, LA	< 50 PPM
61262101	Jefferson Parish Pump Station No 2 Suburban	?	4800 Lake Villa Drive, Metairie, LA	?

55407445 Jefferson Parish Pump Station No 3 Elmwood	1086050	5400 Caryota Drive, Metairie, LA	< 50 PPM
59347641 Jefferson Parish Pump Station No 4 Duncan	1212799	1800 Joe Yennie Blvd, Kenner, LA	< 50 PPM

If I can be of further assistance, please call me at 501-377-4036. Please fax future PCB information requests to 501-377-4041. Unless requested, a hard copy will not be mailed.



James Hal Beard
Senior Environmental Analyst
Environmental Management
beardj@entergy.com